

# ARMOUR



1



3



2



4



## DRESSING THE ARMOUR

**Red** dots on the **right** side. **Green** dots on the **left** side.

Black body suit will fit a large range of sizes. Zip is two way top to bottom.

Abdominal front, bottom & lower back come assembled in the pack.  
Dress these first crossing straps over at front.

Use velcro straps to adjust the front & back to the tightest gap.

# ABB Front & Back

5



7



6



8



## CALVES

Open calves at the velcro back joint and clamp onto leg. Adjust velcro overlays so calf sits as tight as possible.

## THIGHS

Open thighs at the velcro back joint and clamp onto leg. Adjust velcro overlays so thigh sits as tight as possible. Use snap fastener to suspend thigh from ABB front.

# Calves & Thighs

9



11



10



12



## CHEST & UPPER BACK

Chest & upper back come assembled in the pack. Slip over head and fasten at the sides with velcro straps.

## ARMS

The elastic strap suspends the shoulder bell and bicep moulding. The bicep (upper arm) moulding is suspended from the shoulder bell. (see 13)

# Back Chest Shoulder

13



14



Full pre assembled glove on

15



Forearms are clamshell design & velcro from the back

16



Make final adjustment of shoulder strap to ensure chest design fits ABB front easily



Chest & Arms

17



19



18



20



## BELT

Overlay belt at back & fasten as tight as possible with velcro.  
The front of the belt is supported with velcro on the ABB front.

## HELMET

Lower helmet sideways & twist into correct position.

# Belt & Helmet



REPORT  
FOR  
DUTY  
**TROOPER**



WWW.  
originalstormtrooper  
.com

shepperton  
DESIGN STUDIOS

